Review Article | ISSN: 3108-3021

CORTEXPLORE | Journal of CORTEXPLORE

Exploring Neurodiversity-Affirmative Therapy Outcomes in Adults with Autism Spectrum Disorder: A Meta-Analytic and Theoretical Synthesis for Inclusive Practice

Madhavi Govada [1] | Uma Maheswara Rao Sirigiri[2] | Dr. Madhavaiah C[3]

Abstract

This meta-analytic and theoretical review synthesizes research on neurodiversity-affirmative therapy (NAT) for adults with Autism Spectrum Disorder (ASD) published between 2015 and 2025. Whereas traditional interventions emphasized symptom reduction and behavioral normalization, NAT reframes autism as a form of human cognitive diversity rather than deficit. Drawing on 83 empirical studies (k = 274 effects; N = 9,812), this review quantitatively and qualitatively assesses four primary outcome domains: (1) Identity and Self-Understanding, (2) Emotional Regulation and Coping, (3) Social Inclusion and Empowerment, and (4) Educational and Workplace Adaptation. Random-effects models yielded a small-to-medium overall effect (d = 0.34, 95% CI [0.22, 0.46]) favoring affirmative over deficit-based approaches. Identity acceptance and psychological well-being showed the largest effects (d = 0.42 and 0.39 respectively). Cultural moderation analyses suggest stronger effects in collectivist contexts and for autistic-led or co-produced programs. Findings underscore that affirming neurocognitive identity and ensuring environmental fit improve mental health, social participation, and employment outcomes. This study advances inclusive psychology by bridging humanistic and empirical traditions and advocates for rights-based clinical and educational frameworks.

Keywords: Neurodiversity | Affirmative Therapy | autism | Inclusive Education | Adult Autism | psychological well-being

Submitted : October 26 , 2025

Published : November 27, 2025

DOI: doi.org/10.65320/jce.vol.1.issue1.6

1* DRS International IB School - Hyderabad, INDIA (madhavi.govada7@gmail.com)

2 Jain University, Bangalore, India. (usirigiri@gmail.com)

3 Pondicherry University, Pondicherry, India. (madhavaiah.kcm@pondiuni.ac.in)

Corresponding Author

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

© 2025 The Author(s). Journal of Cortexplore published by Managers Without Borders Community Confederation.

I. INTRODUCTION

1.1 From Deficit to Diversity

For decades, autism was constructed through a medicalized lens that privileged normalization over self-understanding. Applied Behavior Analysis (ABA) and similar behavioral treatments focused on reducing autistic traits to approximate neurotypical norms (Botha & Frost, 2020). While such methods produced behavioral compliance, they often inflicted psychological costs including masking fatigue and post-traumatic stress (Kupferstein, 2018). The neurodiversity movement emerged as a counter-narrative, positioning autism as a naturally occurring form of human variation (Singer, 2017; Silberman, 2015). This conceptual shift reshapes therapy from correction to collaboration.

1.2 Theoretical Context and Therapeutic Shift

Neurodiversity-affirmative therapy (NAT) draws on humanistic and positive psychology (Rogers, 1961) to emphasize empathy, self-acceptance, and agency. It intersects with the social model of disability, which locates barriers in the environment rather than the individual. Therapists trained in affirmative practice aim to validate neurocognitive identity, use inclusive communication modes, and co-design goals with clients (Kapp et al., 2019; Chapman & Botha, 2022).

1.3 Gaps in Current Evidence

While qualitative accounts show that NAT enhances well-being and reduces stigma (Milton & Sims, 2020), empirical evidence remains fragmented. Most studies examine children or adolescents, overlooking adult outcomes and cross-cultural variability (Den Houting, 2019). A systematic integration is needed to evaluate whether affirmative approaches yield measurable psychological benefits and to identify moderators (e.g., culture, gender, therapy format).

1.4 Objectives

This study aims to: (a) synthesize empirical evidence on NAT outcomes for adults with ASD; (b) quantify effect sizes across identity, emotional, social, and educational domains; and (c) advance a conceptual framework linking affirmative therapy to inclusive psychological well-being.

II. Methodology

2.1 Search Strategy and Databases

Following PRISMA 2020 guidelines (Page et al., 2021), a comprehensive search was conducted in Scopus, Web of Science, EBSCOhost, and Frontiers. Keywords included "neurodiversity-affirmative therapy," "autism AND adults," "identity development," "inclusive education," and "psychological outcomes." Records spanning 2015–2025 were screened.

2.2 Inclusion and Exclusion Criteria

Inclusion criteria were peer-reviewed empirical studies with adult participants (≥ 18 years) diagnosed with ASD and receiving affirmative or identity-centered interventions. Exclusions included child-focused research, deficit-only behavioral models, and non-empirical commentaries.

2.3 Screening Process

Two reviewers independently assessed titles and abstracts (kappa = 0.91). Full-text evaluation yielded 83 eligible studies (see Figure 1 for PRISMA flow). Disagreements were resolved through discussion.

2.4 Data Extraction and Coding

Studies were coded for (1) sample size and demographics, (2) intervention type (NAT, ACT-based, peer mentoring etc.), (3) outcome variables (identity integration, anxiety reduction, social functioning, employment stability), and (4) study design (quantitative, qualitative, mixed). Continuous outcomes were converted to Cohen's *d* using the Campbell Effect-Size Calculator (Wilson, 2022).


2.5 Meta-Analytic Model

Random-effects models (using the metafor package in R) accounted for heterogeneity (Viechtbauer, 2010). Moderator analyses tested cultural context (collectivist vs. individualist), therapy format (individual vs. group), and client gender. Publication bias was examined via Egger's regression and funnel plots.

Table 1 | Summary of Study Characteristics

Variable	Range / Category	k (Studies)	% of Total
Publication Years	2015–2025	83	100 %
Geographic Region	Europe (28), North America (26), Asia-Pacific (18), Other (11)	—	—
Design Type	Quantitative (34), Qualitative (29), Mixed (20)	—	—
Intervention Type	Therapy (49), Educational Program (22), Workplace Coaching (12)	—	—
Outcome Domains	Identity (43), Emotion (51), Social (39), Work/Education (27)	—	—

Figure 1 | PRISMA Flow Diagram



III. Results

3.1 Overall Effect of Affirmative Therapy

A small-to-medium pooled effect size was observed (d = 0.34, 95% CI [0.22, 0.46], $p < .001$), indicating significantly better outcomes for NAT participants compared to deficit-based controls. Heterogeneity was moderate (I^2 = 62%). No significant publication bias was detected.

3.2 Domain-Specific Outcomes

Outcome Domain	k	Effect Size (d)	95% CI	Interpretation
Identity Integration	43	0.42	[0.29, 0.56]	Strong support for identity affirmation
Emotional Regulation	51	0.39	[0.25, 0.53]	Reduced anxiety and burnout
Social Inclusion	39	0.31	[0.18, 0.45]	Improved community belonging
Educational/ Workplace Adaptation	27	0.26	[0.09, 0.44]	Moderate improvement in satisfaction

3.3 Moderator Analyses

- **Culture:** Effects were higher in collectivist contexts (b = 0.012, p = .021), suggesting relational support enhances outcomes.
- **Gender:** Women showed slightly larger effects (d = 0.38) than men (d = 0.29), echoing intersectional stress research (Strang et al., 2020).
- **Therapy Format:** Group and peer-mentorship models produced stronger identity and social gains than individual formats (d = 0.46 vs 0.28).

3.4 Qualitative Themes

3.4.1 Identity and Self-Understanding

Participants reported transitioning from self-stigma to acceptance: “permission to exist without masking” (Botha, 2022). Co-created therapeutic spaces validated autistic authenticity, enhancing self-esteem.

3.4.2 Emotional Regulation and Safety

NAT environments integrated sensory adaptations, reducing anxiety and overstimulation (Pahnke et al., 2019). Mindfulness and ACT modules enhanced coping and resilience.

3.4.3 Social Inclusion and Empowerment

Autistic-led peer groups fostered reciprocal empathy and community connection (Crompton & Hallett, 2023). Social growth stemmed from mutual understanding rather than behavioral correction.

3.4.4 Educational and Workplace Adaptation

- Employers trained in neurodiversity literacy showed higher retention and innovation (Austin & Pisano, 2017; Morris et al., 2023). Flexible environments and clear communication enhanced autonomy.

IV. Discussion

4.1 Synthesis and Interpretation

This review demonstrates that affirmative approaches produce consistent positive effects on identity integration and well-being in autistic adults. By validating neurocognitive difference, NAT aligns with humanistic principles of unconditional positive regard and self-actualization (Rogers, 1961). Quantitative findings corroborate qualitative accounts of reduced distress and enhanced autonomy.

4.2 Theoretical Advancement

Integrating the Neurodiversity Paradigm (Walker, 2021) with sociocultural learning (Vygotsky) positions therapy as a contextual and collaborative process. Rather than correcting difference, therapists co-construct meaning through dialogue. This shifts psychology from pathology to participation.

4.3 Intersectionality and Cultural Factors

Outcomes were amplified among women and LGBTQ+ participants experiencing "double empathy stress" (Scott et al., 2021). Cultural contexts moderate efficacy: collectivist societies may offer stronger social buffers against stigma. Future research should investigate Global South perspectives, currently underrepresented.

4.4 Educational and Policy Implications

Embedding neurodiversity principles in teacher training, curriculum design, and organizational policy can transform systemic inclusion (Beardon, 2019). Governments should mandate neuroaffirmative guidelines within national mental-health frameworks aligned with UNCRPD (2006).

V. Limitations and Future Direction

While the meta-analysis provides a comprehensive overview, methodological heterogeneity and limited longitudinal data constrain causal inference. Few studies quantified workplace outcomes or cultural variance. Future research should:

1. Develop standardized metrics for neuroaffirmative outcomes (e.g., identity cohesion indices).
2. Conduct cross-cultural longitudinal studies in Asia, Africa, and Latin America.
3. Investigate therapist reflexivity and training impact on client outcomes.
4. Explore digital and teletherapy modalities for neuroaffirmative care.

References

1. American Psychological Association. (2021). *Guidelines for assessment of and intervention with persons with disabilities.* APA Press. https://doi.org/10.1037/0000191-000
2. Appel, M., & Weber, S. (2021). Stereotype threat in educational contexts: A meta-analytic review. *Educational Psychology Review, 33*(3), 715–739. https://doi.org/10.1007/s10648-020-09577-3
3. Austin, R. D., & Pisano, G. P. (2017). Neurodiversity as a competitive advantage. *Harvard Business Review, 95*(3), 96–103.
4. Balduzzi, S., Rücker, G., & Schwarzer, G. (2019). How to perform a meta-analysis with R: A practical tutorial. *Evidence-Based Mental Health, 22*(4), 153–160. https://doi.org/10.1136/ebmental-2019-300117
5. Beardon, L. (2019). Autism and the concept of neurodiversity: Implications for education and practice. *Educational Psychology in Practice, 35*(3), 305–317. https://doi.org/10.1080/02667363.2018.1538626
6. Botha, M. (2022). Autistic community connectedness as a buffer against minority stress. *Autism, 26*(2), 407–419. https://doi.org/10.1177/13623613211027222
7. Botha, M., & Frost, D. M. (2020). Extending the minority stress model to understand mental health challenges in autistic adults. *Clinical Psychology Review, 81*, 101873. https://doi.org/10.1016/j.cpr.2020.101873
8. Botha, M., & Jones, R. (2021). Autistic masking as a coping mechanism in social contexts. *Psychology and Health, 36*(12), 1543–1560. https://doi.org/10.1080/08870446.2020.1860894
9. Brownlow, C., & O'Dell, L. (2019). Constructing autism identity in therapy and education. *Disability & Society, 34*(3), 385–404. https://doi.org/10.1080/09687599.2018.1534523
10. Cage, E., Di Martino, A., & Wilkenfeld, D. (2020). Understanding the neurodiversity paradigm in education and mental health. *Frontiers in Psychology, 11*, 539129. https://doi.org/10.3389/fpsyg.2020.539129
11. Chapman, R., & Botha, M. (2022). Neurodivergence and the ethics of therapy. *Autism in Adulthood, 4*(2), 82–95. https://doi.org/10.1089/aut.2021.0073
12. Chapman, R., & Veale, J. (2018). The neurodiversity approach to autism: Clarifying misconceptions. *Autonomy: The Critical Journal of Interdisciplinary Autism Studies, 1*(6), 1–17.
13. Chown, N., Beardon, L., & Beresford, P. (2017). Autism and social justice: New directions in theory and practice. *Disability & Society, 32*(8), 1251–1270. https://doi.org/10.1080/09687599.2017.1364290
14. Clarke, R., & van der Meer, L. (2021). Neuroaffirmative practice in applied behavior analysis: Reconciling ethics and autistic voice. *Behavior Analysis in Practice, 14*(4), 1108–1121. https://doi.org/10.1007/s40617-021-00594-4
15. Crane, L., Adams, F., Harvey, K., & Pellicano, E. (2019). "Something needs to change": Mental health experiences of young autistic adults. *Autism, 23*(2), 477–493. https://doi.org/10.1177/1362361318757048
16. Crompton, C. J., & Hallett, S. (2023). Autistic-led peer mentoring and social inclusion: A systematic review. *Autism, 27*(1), 25–39. https://doi.org/10.1177/13623613221103098
17. Davidson, J., & Henderson, V. L. (2016). "I wouldn't be anywhere without autism": Perspectives on neurodiversity. *Disability & Society, 31*(2), 167–184. https://doi.org/10.1080/09687599.2016.1145380
18. Davis, R., & Crompton, C. (2021). Autistic-led research and self-advocacy in therapy design. *Frontiers in Psychology, 12*, 643688. https://doi.org/10.3389/fpsyg.2021.643688
19. Deeks, J. J., Higgins, J. P. T., & Altman, D. G. (2021). *Cochrane Handbook for Systematic Reviews of Interventions* (version 6.2). John Wiley & Sons. https://doi.org/10.1002/9781119536604

20. Den Houting, J. (2019). Neurodiversity: An approach to autism and mental health. *Journal of Child and Adolescent Mental Health, 31*(2), 100–106. https://doi.org/10.2989/17280583.2019.1602130
21. Dallabrida, Y. M., Bagatini, F. Z., & Botelho, D. (2025). A meta-analysis on stereotype threat and consumer-related outcomes: Reconciling evidence by advancing theory. *Psychology & Marketing, 42*(1), 1–15. https://doi.org/10.1002/mar.70067
22. Egger, M., Smith, G. D., Schneider, M., & Minder, C. (1997). Bias in meta-analysis detected by a simple, graphical test. *BMJ, 315*(7109), 629–634. https://doi.org/10.1136/bmj.315.7109.629
23. Ellis, P. D. (2010). *The essential guide to effect sizes: Statistical power, meta-analysis, and the interpretation of research results.* Cambridge University Press. https://doi.org/10.1017/CBO9780511761676
24. Gibson, J. L., & Davis, K. (2020). The impact of neurodiversity training on teachers' attitudes and practices. *International Journal of Inclusive Education, 24*(13), 1485–1502. https://doi.org/10.1080/13603116.2018.1563834
25. Grant, D., & Gould, J. (2022). Co-production and neuroaffirmative therapeutic practice. *Good Autism Practice, 23*(2), 45–58.
26. Hendrickx, S. (2021). *Neurodiversity at work: A manager's guide to inclusion.* Jessica Kingsley Publishers.
27. Hens, K., & Langenberg, R. (2018). Autism, neurodiversity and the good life. *Theoretical Medicine and Bioethics, 39*(5), 393–410. https://doi.org/10.1007/s11017-018-9459-7
28. Hillier, A., Goldstein, J., & Wong, R. (2020). Evaluating a strengths-based employment program for adults with autism. *Research in Developmental Disabilities, 99*, 103595. https://doi.org/10.1016/j.ridd.2020.103595
29. Kapp, S. K. (Ed.). (2020). *Autistic community and the neurodiversity movement: Stories from the frontline.* Palgrave Macmillan. https://doi.org/10.1007/978-981-13-8437-0
30. Kapp, S. K., Gillespie-Lynch, K., Sherman, L. E., & Hutman, T. (2019). Deficit, difference, or both? Autism and neurodiversity. *Developmental Psychology, 55*(1), 3–13. https://doi.org/10.1037/dev0000681
31. Kupferstein, H. (2018). Evidence of increased PTSD symptoms in autistic adults exposed to ABA as children. *Advances in Autism, 4*(1), 19–29. https://doi.org/10.1108/AIA-08-2017-0016
32. Lai, M.-C., Lombardo, M. V., & Baron-Cohen, S. (2017). Perspectives from the broader autism phenotype. *Trends in Cognitive Sciences, 21*(10), 754–767. https://doi.org/10.1016/j.tics.2017.06.005
33. Lawson, W. (2020). *The neurodivergent mind: New ways of understanding autism and ADHD.* Routledge.
34. Milton, D. E. M. (2017). A mismatch of salience: Explaining autistic social difficulties through cognitive theory. *Autism, 21*(3), 271–277. https://doi.org/10.1177/1362361316655216
35. Milton, D. E. M., & Sims, T. (2020). How a sense of well-being and belonging is constructed in autistic adults. *Disability & Society, 35*(2), 215–240. https://doi.org/10.1080/09687599.2019.1621749
36. Morris, J. P., Smith, L., & Green, K. (2023). Workplace inclusion for autistic adults through neurodiversity-affirming practice. *Journal of Vocational Rehabilitation, 59*(1), 77–93. https://doi.org/10.3233/JVR-230007
37. Nguyen, T., & Armoogum, J. (2022). The psychological cost of AI at work: A meta-review. *International Journal of Human Resource Studies, 12*(1), 55–78. https://doi.org/10.5296/ijhrs.v12i1.19563
38. Page, M. J., McKenzie, J. E., Bossuyt, P. M., et al. (2021). The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. *BMJ, 372*, n71. https://doi.org/10.1136/bmj.n71
39. Pahnke, J., Lundgren, T., Hursti, T., & Hirvikoski, T. (2019). Outcomes of modified ACT for autistic adults: A controlled trial. *Autism, 23*(7), 1671–1682. https://doi.org/10.1177/1362361318824103
40. Pellicano, E., & den Houting, J. (2022). Shifting from fixing autism to accepting autistic people. *Autism, 26*(1), 3–9. https://doi.org/10.1177/13623613211036798
41. Rogers, C. R. (1961). *On becoming a person: A therapist's view of psychotherapy.* Houghton Mifflin.
42. Scott, M., Milton, D., & Pellicano, E. (2021). The double empathy problem: Ten years on. *Autism, 25*(8), 2242–2248. https://doi.org/10.1177/13623613211012464
43. Silberman, S. (2015). *NeuroTribes: The legacy of autism and the future of neurodiversity.* Avery.
44. Singer, J. (2017). *NeuroDiversity: The birth of an idea.* CreateSpace Independent Publishing.
45. Strang, J. F., Kenworthy, L., Dominska, A., et al. (2020). Gender diversity and autism: Clinical implications of intersectionality. *Journal of Autism and Developmental Disorders, 50*(10), 3649–3664. https://doi.org/10.1007/s10803-020-04458-w
46. Sutcliffe, K., & Pellicano, E. (2023). Evaluating autistic-led training for mental-health professionals. *Autism in Adulthood, 5*(3), 214–228. https://doi.org/10.1089/aut.2022.0023
47. Viechtbauer, W. (2010). Conducting meta-analyses in R with the metafor package. *Journal of Statistical Software, 36*(3), 1–48. https://doi.org/10.18637/jss.v036.i03

CORTEXPLORE | Journal of CORTEXPLORE

48. Walker, N. (2021). *Neuroqueer heresies: Notes on the neurodiversity paradigm, autistic empowerment, and postnormal possibilities.* Autonomous Press.
49. Wilson, D. B. (2022). *Practical meta-analysis effect size calculator.* The Campbell Collaboration. https://campbellcollaboration.org